#### **Project Title and Brief Abstract**



#### NASA RECOVER DSS

- Keith T. Weber<sup>1</sup>, John Schnase<sup>2</sup>, Mark Carroll<sup>2</sup>, Roger Gill<sup>2</sup>, Kindra Blair<sup>1</sup>, and Maggie Wooten<sup>2</sup>
- Partners: BLM, Idaho Dept. of Lands, USFS
- Project Summary: Post-wildfire decision support system to assist agency partners in developing a well-informed recovery plan.
  - The RECOVER DSS has been used for 33 wildfires and assisted with the Ft. McMurray, Alberta, Canada wildfire
  - These 33 wildfires burned 1.7 million acres
- Earth Observations applied: Landsat, MODIS, Merra

- 1- ISU GIS TReC
- 2- NASA Goddard Space Flight Center

#### RECOVER: <u>Rehabilitation Capability Convergence for Ecosystem Recovery</u>

PI: Keith T Weber, ISU GIS TReC (webekeit@isu.edu, 208.282.2757) and Co-I/NASA PI: John L Schnase, NASA GSFC (john.l.schnase@nasa.gov, 301.286.4351)



#### **Purpose & Objective**

- RECOVER brings together in a single application all the *information* needed for ES&R and BAER wildfire rehabilitation planning and long-term ecosystem monitoring.
- RECOVER's system components include the RECOVER Server and RECOVER Clients (desktop and mobile decision support applications) that integrate *information* about fire severity with other geospatial data to better inform rehabilitation strategies.

Recent RECOVER Fires
Fire Name Year 2019 2019 2019 2019 2019 2019 2019 2019

#### **Approach**

- RECOVER team matured both Server and Client and increased capabilities to become a full production environment.
- Includes full geospatial coverage across 11 western states.
- New end-users at the USFS, NPS, and NWS engaged along with Idaho Transportation Dept.
- Anticipate increased use of NASA GSFC's High-Performance Science Cloud to facilitate operation of long-term post-fire monitoring with NASA earth observing systems (Wrangler).

#### **Key Milestones**

Milestone Statement	Date			
Offer a webinar for partners	04/17			
Formalize relationships/agreements with partners to continue RECOVER	06/17			
Complete "Wrangler", long-term monitoring automation	07/17			

$$ARL_{Start} = 1$$

 $ARL_{Most\ Recent} = 6$ 

ARL Goal = 8

# Biggest Achievement to Date: The Capability










#### PI Overall Assessment: Current Status



# Summary of Challenges; Problems; Objective Analysis

Getting commitment for continuation by end-user partners

Some prefer doing things as they have always done them



Letting more potential end-users know about RECOVER

#### **Summary of Progress**

 On-going discussions and interest from NIFC as well as Idaho state office of BLM, and Idaho Dept. of Lands.

2. V



## PI Assessment: Transition Plan (1 of 4)



- An important goal for the RECOVER DSS is to have it accepted into the workflow of our end-user partners
- To a large extent, this acceptance has been achieved
- But, we also need to ensure RECOVER continues following the end of NASA funding

# PI Assessment: Transition Plan (2 of 4)



- There is interest!
- Current focus is on ISU's GIS TReC continuing to support/host RECOVER on its servers
  - ISU GIS TReC would maintain current geospatial base layers (n = 25)
  - And host both the Generator, web-maps, and underlying web services

### PI Assessment: Transition Plan (3 of 4)





### PI Overall Assessment: Transition (4 of 4)



We have the interest (NIFC, BLM, IDL)

Our users are growing (Idaho Dept. of homeland security, Idaho Transportation Department)

The hurdle will be getting our end-user partners to pay for something they have been getting for free

This may include a cost-benefit analysis (completion of the socioecon. part of the project)

Scientists are not sales people

It may help to be part of meetings with these end-user partners, even by teleconference

Budget progress and future plans to spend down the funding by year:

We are planning to request a one-year no-cost extension

### PI Overall Assessment: Impact



#### **Honest Opinion**






But, will it continue?



#### Project's Impact/Potential as an Analogy

From our childhood, many of us remember...



We have worked very hard to climb that hill, all the time saying "I think I can"...

That hill is the successful transition with our end-user partners

### Relevant Publications, Awards, Accomplishments



- Paper in review (IGAARS)
- Successful presentations at Intermountain GIS Users' Conference (Montana) and the Esri International Users' Conference (UC)
- And, I would like to share results of a user survey (next slide)

# Inquiring Minds Want to Know...



Statement	Strongly Agree	View it graphically	
Vegetation/landscape recovery can be adequately monitored using moderate resolution imagery (250 meters per pixel) because recovery trend is very important.	0		
Vegetation recovery requires detailed/high resolution imagery because specific acreages within a fire must be assessed.	16		
Frequent imagery (approximately every two weeks) is more important than seasonal imagery (one image per growing season/year)	4		
Cost of imagery acquisition and processing is an important consideration	15		
Free imagery acquisition is a very important consideration	22		
I would rather have free, frequent, moderate resolution imagery than costly, seasonal, high-resolution imagery	13		
I would rather receive actionable information (imagery showing good recovery versus poor recovery) instead of raw data	16		
Interpreting and understanding the imagery (regardless of its resolution) is always difficult	3		
I prefer completed reports describing long-term monitoring trends for a fire instead of imagery/maps	1		