

NASA RECOVER 2.0 Post-fire Decision Support System



Keith T. Weber, GISP (PI), ISU GIS TReC Brad Quayle (Co-PI), USDA Forest Service GTAC



Importance of Spatial Data in Fire Recovery

- Fire Managers and Land Managers need to know:
 - Where "things" are (structures, infrastructure, and people)
 - Where "things" used to be (pre-fire landscape)
 - What was the effect of the fire on these "things" (fire severity)
 - Maps can show these "things"
 - Smart maps show these things + provide actionable information



"This morning, you were preaching to the Choir again... and we've had just about enough of that!"



RECOVER 1.0 (beta)

- 2012-2019
- 103 wildland fires
- 11 western states
- 16 different federal & state agencies



Enhancements Provided by RECOVER

- Rapid data acquisition
- Cross-organizational collaboration
 - (breaking down silos)
- Common Operational Picture (uniform geospatial context)



Pocatello

What is RECOVER 2.0?

- A Cloud-based, Smart-Map for Post-wildfire recovery planning and monitoring
- Like the original RECOVER, it remains a Customer-driven, Customer-centric* Decision Support System (DSS)



* Our "customers" are agency/organizational wildfire and land managers at the USDA Forest Service, DOI BLM, NPS, as well as state agencies



RECOVER 2.0



- Made possible by a grant from NASA Earth
 Sciences Wildland Fire Management Program
 - David S. Green, PhD, Program Manager

Meet the RECOVER 2.0 Team

- Keith T. Weber¹
- Brad Quayle²
- Craig Baker²
- Ali Reiner²
- Kindra Blair¹
- Austin Thompson¹

 Visit the RECOVER 2.0 webpage at <u>https://giscenter.isu.edu/research/Techpg/NASA_RECOVER2/</u>

1- Idaho State University GIS Training and Research Center (GIS TReC)

2 – USDA Forest Service Geospatial Technology and Applications Center (GTAC)



Data Architecture

- RECOVER covers the Western US
- Esri ArcGIS Online Cloud
- Leveraging existing, authoritative data streams
- Data packages/File Geodatabase
 - Vector and raster data
 - Automated Map Services





GIS Base Layers

- RECOVER currently provides
 - 28 Base Layers automatically clipped to the fire extent¹ (envelope)

| VECTOR DATA (fGDB) |
|----------------------------------|
| Geology |
| Habitat |
| Historic/past fires |
| LandslidePotential |
| NHD Rivers and Streams |
| NHD Surface water bodies |
| WBD Watershed Boundaries |
| Post-wildfire debris flow models |
| State boundaries |
| County boundaries |
| PLSS |
| Roads |
| SMA |
| Soils STATSGO |
| Soils gSSURGO |
| Wilderness Status |


| RASTER DATA |
|--|
| Relative Ecosystem Resilience/Resistance |
| LANDFIRE BPS |
| LANDFIRE EVC |
| LANDFIRE EVT |
| LANDFIRE FVT |
| Elevation |
| Aspect |
| Slope_DEG |
| Slope_PCT |
| Steep Slopes >30% |
| Precipitation forecast |
| Weather satellite imagery |
| |

1- fire extent + 5km buffer

Idaho State

Plus...

- RECOVER will provide (proposed)
 - Fire severity layers dNBR (MTBS)
 - Long-term monitoring data



Other Spatial Data

- To suggest additional layers please let us know
 - webekeit@isu.edu
 - brad.quayle@usda.gov



Making RECOVER Even Faster

- Pre-emptive automation processing using our Large Fire Trigger automates data package development and updating
 - ArcGIS Python scripting
 - Output data package (ZIP)
 - Quick and easy download from RECOVER's dashboard



RECOVER 2.0 Workflow

A wildfire has occurred


Pocatello


- Visit the RECOVER dashboard
 - Select the fire from the RECOVER Quick List



Interacting with RECOVER

- Click the fire polygon to reveal its pop-up
 - Optionally, download the Data Package
- Expand the Layers list to explore the fire area








28 Data Layers

- Currently, RECOVER provides 28 data layers from authoritative sources (USGS, NASA, NOAA, etc.)
 - Turn layers on/off to visualize these data
 - Click a feature to view data describing that feature



Explore RECOVER in 3D

Using the menu (upper-right corner), open the RECOVER
 3D Viewer



Pocatello

What if...

- A fire AOI is not shown in the dashboard?
 - We have new geoprocessing models to run SUBMITTED fires
- I have other data to add for a specific fire?
 - This is under construction but already possible
- Contact us! Using the RECOVER web page at

https://giscenter.isu.edu/research/Techpg/nasa_RECOVER2/index.htm



Still Under Construction...

- Summary reports/Dashboard widgets
- Unclassified or Preclassified fire severity (dNBR)
- Long-term vegetation monitoring post-fire (Regeneration Index RI)
- Sign in/log in



Questions & Discussion?

webekeit@isu.edu





RECOVER is a NASA Applied Sciences sponsored project. K. T. Weber (PI), J. Schnase (Co-PI) and M. Carroll (Co-PI), Goddard Space Flight Center

